

Patton Character

Stable
Reliable
Competent
Diversified



CopperLink™



Ethernet, T1/E1 & USB
Network Extenders

SmartNode™




VoIP Gateways, Routers,
IADs & ESBRs

BODi rS™



High Availability
Fixed & Mobile Routers

Copper Ethernet Extenders



Key Features

- Operates over existing legacy twisted pair
- Extends Ethernet from its 100 m limit to over 8 km

Key Products

- CL1214
- CL1314 (standard, ruggedized and multidrop)
- CL2300

BODi rS

Introducing BODi rS™



More Bandwidth. More Reliability. More Survivability.

Patton
Character

Copper Ethernet
Extenders

Introducing
BODi rS


Broadband
Everywhere

High
Availability

Mobile
Internet

Why
SmartNode?

BODi rS—Broadband Everywhere



Aggregate multiple wired and wireless links delivering enhanced bandwidth for IP communications

Leverage 3G and 4G/LTE for mobile broadband hotspots

Intelligent load balancing for IP surveillance survivability

IPsec VPN and 256-bit AES encryption for secure data transfer

Dual WiFi modems for WAN bridging and mobile WiFi access

Patton Character

Copper Ethernet Extenders

Introducing BODi rS


Broadband Everywhere

High Availability

Mobile Internet

Why SmartNode?

BODi rS—High Availability for Business Continuity



Bond multiple 3G, 4G, LTE, WiFi modems for enhanced redundancy


Dynamically adjust profiles and configurations

Optimize bandwidth performance

Drop-in Mode for seamless integration

Wired & wireless survivability

BODi rS—High Speed Mobile Internet Access



Aggregate up to 4 wireless connections

Seamless network selection

Stable and constant Internet

Internal 3G/4G modems

Dual WiFi

Operates off of vehicle power

Why SmartNode?



SmartNode[™]
VoIP solutions that are more than just talk[™]

The Gateway to
Lync

Certified for
3CX


Why SmartNode?

- ✓ Patton Quality
- ✓ Unrivaled Customer Support
- ✓ Free Support & Upgrades
- ✓ Made in the USA
- ✓ Successful VoIP starts with a SmartNode gateway!

Wide Product Range from Enterprise to Carrier

- From 1 to 2048 call capacity
- ISDN, PRI, BRI, and Analog
- Gateways, IADs, and Session Border Routers

SmartNode—IP PBX and UC Gateway Applications



Partner: IP PBX

AVAYA



Microsoft®



GFI



IBM®



Gigasetpro



IP PBX & UC Gateway Applications

Partner:
IP PBX

Enterprise Session
Border Router

Service
Providers

SmartNode 10K
Series

Let's
Connect

Patton
Cloud

SmartNode—Enterprise Session Border Router



Provides your network voice quality, survivability, and security:

- Quality-of-Service (QoS)
- Back-to-Back-User-Agent (B2BUA)
- Transcoding
- SIP Registrar

Manage your WAN bandwidth to meet the service level agreement of the ITSP


Service Providers



upc cablecom



SmartNode 10K Series



100 % More Performance:

- 90 CCPS TDM to IP
- 230 CAPS SS7 to SIP

Lowest TCO

Scalable:

- 4 to 1024 T1/E1
- 1 to 3 DS3
- 1 to 16 STM-1

Signaling flexibility:

- Simultaneous SIP, SIG-TRAN, ISDN, PRI, CAS R2

www.patton.com

Patton Electronics Co.

7622 Rickenbacker Drive
Gaithersburg, Maryland 20879
USA

Phone +1 301 975 1000

Fax +1 301 869 9293

E-mail sales@patton.com

Patton-Inalp Networks AG

Meriedweg 7

CH-3172 Niederwangen

Switzerland

Phone +41 (31) 985 25 25

Fax +41 (31) 985 25 26

E-mail sales@inalp.com

Patton Hungary Zrt

Gábor Dénes utca 4.

Infopark Building C, Budapest H-1117

Hungary

Phone +36 1 439 4840

Fax +36 1 439 4844

E-mail ce@patton.com



PATTON[®]
Let's Connect![™]

IP PBX & UC Gateway
Applications

Partner:
IP PBX

Enterprise Session
Border Router

Service
Providers

SmartNode 10K
Series

Let's
Connect

Patton
Cloud

Patton **Passion**
Networking **Initiative**
Innovation **Creativity** **Global**
Service **VoIP** **Relationships** **USA**
Local **Customer** **Engineered**
Family **Transport**
Dynamic

IP PBX & UC Gateway
Applications

Partner:
IP PBX

Enterprise Session
Border Router

Service
Providers

SmartNode 10K
Series

Let's
Connect

Patton
Cloud