



- Devices, DSL Modems, RS-232/ 422/485 Device Servers,
- Ethernet Extenders, T1/E1 Transport



Communications, Networking and Telecom Products



Hardened Industrial Networking & Telecom Products



Serial

**Extension** 

**Ethernet** T1/E1

**Extension** 



PAV

EnviroNET Networking Products Deliver... Voice, Video and Data Communications Services... In ANY environment.



Gaithersburg, MD 20879 7622 Rickenbacker Dr.



and pair it up with an equivalent Patton at any outdoor data acquisition location locate an EnviroNE1<sup>IM</sup> Ethernet Extender as dust, rain, snow, sleet, etc. Just coresist various environmental elements such under harsh temperatures -40 to 85°C and Tallovirun s'notts9 ! Patton's EnviroNET or delivering last-mile ISP services-at line LANs; reaching remote PCs and equipment; connecting peered 10/100Base-T Ethernet offers a reliable and robust solutions for The Patton EnviroNET<sup>IM</sup> Ethernet Extender



## Get your FREE Industrial Networking & Connectivity Catalog

Over 1,000 products are inside this full-color catalog. Everything you could need for your LAN, WAN or access network.

5626.638.105.1 :bras sidt Asad xat ro 👔 000 f.279. f05. f :Yabot llaJ

ubject to change without notice and expire on June 30, 2006 and are void where prohibited. Fom Patton not described above. All special other are available to us customers only placing orders with Patton. Uner conditions are Offer Rules: All of the above offers can be used alone or in combination with each other. These offers cannot be combined with other offers

# ETHERNET ANYWHERE EnviroNET<sup>™</sup> Networking Products Deliver... Voice, Video and Data Communications Services... In <u>ANY</u> environment. **Extra Rugged Network Products**



# **EnviroNET**<sup>™</sup> **EH Series Environmentally Hardened**

Built to NEMA 4 specs, the durable EH Series protects against rain, sleet, snow, dirt, dust, ice build-up, high humidity (moisture) and physical tampering. Designed to operate in temperatures ranging from 32 to 122°F, it is ideal for use in environments that provide controlled temperatures.



The EC Series offers the same protection from environmental elements as the EH Series, plus it has a temperature control system enabling it to operate in temperatures ranging from 32 to 185°F.



In addition to providing the same protection from environmental elements as the EH Series, the advanced ET Series temperature control system enables it to operate in temperature extremes of -40 to 185°F. Potential installation locations and applications for the ET Series are virtually limitless!

# **Other Products from Patton.**



**Indoor Ethernet Extenders** 

**Indoor Device Servers** 

**Interface Converters Miniature Industrial Computers** 

**Dial-Up Access** 

**Voice-over-IP Gateways** 

# **ETHERNET EXTENDERS**

- Overcomes the 328 foot limitations of Ethernet
- Extends Ethernet transmission over phone-grade twisted-pair up to 5 miles
- Symmetrical line rates up to 50 Mbps
- Transparent LAN bridging

## **DEVICE SERVERS**

- User selectable RS-232/422/485 control, access, and monitor async serial devices over your LAN
- COM Port Redirector software included
- Secure communication with 3DES, SSL, HTTPS, SCP, and IP filtering
- 10/100Base-TX or 802.11b WiFi LAN connection

#### EXTENDERS & CONVERTERS

- Extends T1 /E1 and fractional T1/E1 circuits over twisted pair up to 5 miles.
- Terminate and convert T1/E1 WAN circuits
- Extends Ethernet over T1/E1 circuits

#### XDSL ROUTERS

- Extend T1/E1, X.21, V.35, or 10/100Base-TX router ports over xDSL
- Data rates up to 4.6 Mbps
- Built-in Ethernet Bridge/IP Router

#### **VOIP GATEWAYS & ROUTERS**

- · Converts analog or ISDN circuits to VoIP
- Complete integrated IP access routing (Firewall. NAT, DHCP, PPPoE, etc.)
- Comprehensive QoS and security features (VLAN, optional IPsec VPN, etc.)

#### SERIAL EXTENDERS

- Extend serial communications up to 17 miles
- Point-to-Point or Multipoint
- Asynchronous or synchronous operation
- Ground isolation and surge protection

| ET2172/EUI | Extended Temp Multi Rate 50 Mbps Ethernet Extender     |
|------------|--|
| ET2168/EUI | Extended Temp Multi Rate 16 Mbps Ethernet Extender     |
| ET2157/EUI | Extended Temp Rate Adaptive 4.6 Mbps Ethernet Extender |
| ET2156/EUI | Extended Temp Rate Adaptive 2.3 Mbps Ethernet Extender |
| ET2155/EUI | Extended Temp Long Range 144 kbps Ethernet Extender    |

ET2232/EUI Extended Temp RS-232 Device Server 10Base-T ET2211/EUI Extended Temp RS-232 Device Server 802.11b ET2285/EUI Extended Temp RS232/422/485 Device Server 10/100Base-TX

| ET3088/T/EUI | Extended Temp T1 Extender               |
|--------------|---|
| ET3088/K/EUI | Extended Temp T1/E1 Extender            |
| ET2720/C/EUI | Extended Temp T1 to V.35 Converter/NTU  |
| ET2720/I/EUI | Extended Temp Ethernet Extender over T1 |
| ET2701/C/EUI | Extended Temp E1 to V.35 Converter/NTU  |
| ET2701/D/EUI | Extended Temp E1 to X.21 Converter/NTU  |

| ET3087/RIC/UI | Extended Temp 4.6 Mbps G.SHDSL V.35 Router  |  |
|---------------|---|--|
| ET3087/RID/UI | Extended Temp 4.6 Mbps G.SHDSL X.21 Router  |  |
| ET3087/RIK/UI | Extended Temp 4.6 Mbps G.SHDSL E1/T1 Router |  |
| ET3201/R/UI   | Extended Temp 2.3 Mbps G.SHDSL Router       |  |
| ET3241/R/UI   | Extended Temp 4.6 Mbps G.SHDSL Router       |  |
|               |   |  |

| ET4524/JS/UI      | Extended Temp 4 port FXS VoIP Router                 |
|-------------------|--|
| ET4524/J0/UI      | Extended Temp 4 port FXO VoIP Router                 |
| ET4528/4JS4JO/EUI | Extended Temp 4 port FXS plus 4 port FXO VoIP Router |
| ET4528/8JS/EUI    | Extended Temp 8 port FXS VoIP Router                 |
| ET4552/2BIS/UI    | Extended Temp 2 port BRI VoIP Router                 |
|                   |  |

|   | ET1080A/EUI<br>ET3088/D/EUI<br>ET3088/C/EUI | Extended Temp RS-232 Long Range Extender<br>Extended Temp X.21 Serial Extender<br>Extended Temp V.35 Serial Extender |
|---|---|--|
| ET1052/EUI Extended Temp RS-232 High Speed Sync Extender<br>ET1053/EUI Extended Temp RS-232 High Speed Async Extender | ET1052/EUI                                  | Extended Temp RS-232 High Speed Sync Extender  |

www.patton.com

Offer Rules: All of the above offers can be used alone or in combination with each other. These offers cannot be combined with other offers from Patton not described above. All special offers are available to US customers only placing orders with Patton. Offer conditions are subject to change without notice and expire on June 30, 2006 and are void where prohibited.

Call today: 1.301.975.1000

or fax back this card: 1.301.869.9293



**Get your FREE Industrial Networking & Connectivity Catalog** 

Over 1,000 products are inside this full-color catalog. Everything you could need for your LAN, WAN or access network.

rates up to 50 Mbps! Patton's EnviroNET allows the Ethernet Extenders to operate Ethernet Extender inside the building. **IP camera** on light post Security gate, IP keycode entry system 1.5 miles at 4.6 Mbps symmetrical 2-wire-twisted pair 1,000 feet at 16 Mbps symmetrical 2-wire-twisted pair ET2157/R 2157/L ET2168/R 2168/L

under harsh temperatures -40 to 85°C and resist various environmental elements such as dust, rain, snow, sleet, etc. Just colocate an EnviroNET<sup>™</sup> Ethernet Extender at any outdoor data acquisition location and pair it up with an equivalent Patton

the second we be

-400-



Gaithersburg, MD 20879

In ANY environment. Voice, Video and Data Communications Services... EnviroNET Networking Products Deliver...

**Ethernet Anywhere**<sup>T</sup> application

The Patton EnviroNET<sup>™</sup> Ethernet Extender

offers a reliable and robust solutions for

connecting peered 10/100Base-T Ethernet

LANs; reaching remote PCs and equipment;

or delivering last-mile ISP services-at line

ingther Resistant

stouborg mooslet & gnikrowteN leirtsubnl bensbreh



10074 7916V

**UOISUƏ1X** SUAVAAS FI/FT Jongodiji Device **TSOX EXtension Volp Serial** 



and Telecom Products Communications, Networking A full range of industrialized Data

- temperature controlled NEMA Enclosures Housed in environmentally sealed and
- 422/485 Device Servers, Devices, DSL Modems, RS-232/ • Ethernet Extenders, T1/E1 Transport
- metal enclosures lockable, wall or pole mountable, Dust proot, water proot, outdoor,



www.patton.com • +1.301-975.1000